Product	Materials	Indication	Package
 Dexson Injection, Jeilmexa Injection	**Active ingredient :** Dexamethasone Disodium Phosphate 5mg/1mL **Pharmaceutical excipient :** Edetate sodium hydrate, Glycerin, Water For Injection, Benzyl alcohol	1. Endocrine disorders: primary and secondary adrenocortical insufficiency, acute adrenocortical insufficiency, adrenocortical insufficiency, and adrenogenital syndrome 2. Rheumatic disorder: The following diseases are adjuvant therapy for short-term administration to prevent acute progression or exacerbation: rheumatoid arthritis, multiple arthritis, osteoarthritis, acute gouty arthritis, acute and subacute bursitis, epicondylitis, and acute non-specific tenosynovitis 3. Collagen diseases: systemic lupus erythematosus, acute rheumatoid pericarditis, systemic dermatomyositis (polymyositis), sclerosis, rheumatoid fever 4. Skin disorder: pemphigus, severe psoriasis, neurotic dermatitis, edema sclerosis in adults, and lichen 5. Allergic diseases: bronchial asthma, contact dermatitis, atopic dermatitis, serum sickness, Seasonal or multi-year allergic rhinitis, drug hypersensitivity, hives, hay fever, anaphylactic shock 6. Eye diseases: iritis, iris-shaped colitis, choroidal retinitis, keratitis 7. Gastrointestinal disease: ulcerative colitis 8. Blood disease: acquired hemolytic anemia, thrombocytopenia 9. Oncogenic disease: Leukemia (temporary action) 10. Edematous diseases: nephrotic syndrome 11. Neurological disease: Hodgkin's disease (temporary action) 12. Other: In the event of an emergency of severe infection	1mL × 50Amp 4mL × 50Amp
 Dexamethasone Injection 4.37mg Jeil	**Active ingredient :** Dexamethasone Disodium Phosphate 4.37mg/1mL **Pharmaceutical excipient :** Benzyl alcohol, Glycerin, Water For Injection, Disodium Edetate Hydrate	1. Endocrine disorders: primary and secondary adrenocortical insufficiency, acute adrenocortical insufficiency, adrenogenital syndrome 2. Rheumatic disorder: The following diseases are adjuvant therapy for short-term administration to prevent acute progression or exacerbation: rheumatoid arthritis, multiple arthritis, osteoarthritis, acute gouty arthritis, acute and subacute bursitis, epicondylitis, and acute non-specific tenosynovitis 3. Collagen diseases: systemic lupus erythematosus, acute rheumatoid pericarditis, systemic dermatomyositis (polymyositis), sclerosis, rheumatoid fever 4. Skin disorder: pemphigus, severe lichen, neurotic dermatitis, edema sclerosis in adults, and lichen 5. Allergic diseases: bronchial asthma, contact dermatitis, atopic dermatitis, serum sickness, Seasonal or multi-year allergic rhinitis, drug hypersensitivity, hives, hay fever, anaphylactic shock 6. Eye diseases: iritis, iridocyclitis, chorioretinitis, keratitis 7. Gastrointestinal disease: ulcerative colitis 8. Blood disease: acquired hemolytic anemia, thrombocytopenia 9. Oncogenic disease: Leukemia (temporary action) 10. Edematous diseasess: nephrotic syndrome 11. Neurological disease: Hodgkin's disease (temporary action) 12. Other: In the event of an emergency of severe infection	1mL × 50Amp

Product	Materials	Indication	Package
 Maritrol Injection (Tramadol HCl)	**Active ingredient :** Tramadol Hydrochloride 50mg/1mL **Pharmaceutical excipient :** Water For Injection, Sodium Acetate hydrate	Severe and moderate acute/chronic pain (various cancers, etc.), Post-diagnosis and postoperative pain	1mL × 50Amp 2mL × 50Amp
 Meccol Injection (Metoclopramide Hcl)	**Active ingredient :** Metoclopramide Hydrochloride Hydrate 5mg/1mL **Pharmaceutical excipient :** Water For Injection, Sodium metabisulfite, Sodium chloride	(Adult) 1. Prevention of postoperative nausea and vomiting 2. Prevention of radiation therapy-induced nausea and vomiting 3. Treatment of nausea and vomiting (Children ages 1 to 18) 1. Prevention of delayed nausea and vomiting after chemotherapy as a second treatment 2. Postoperative nausea and vomiting treatment as secondary treatment	2mL × 50Amp
 Ascorbic Acid Injection 5% Jeil	**Active ingredient :** Ascorbic Acid 50mg/1mL **Pharmaceutical excipient :** Sodium bisulfite, Water For Injection, Sodium Bicarbonate	In cases where acute or oral administration is difficult 1. Prevention and Treatment of Vitamin C Deficiency: Scurvy, etc 2. When the requirement of vitamin C increases: Pregnant women, severe physical labor, etc 3. If any of the following diseases is believed to be involved in vitamin C deficiency or metabolic disorders 1) Capillary hemorrhage (non-bleeding, gingival bleeding, hematuria, etc 2) Drug administration (salicylate, atropine, ammonium chloride, barbiturate, etc.) 3) The formation of bone matrix during fracture and the promotion of bone fusion 4) Pigmentation after melasmas, freckles, and inflammation 5) Photosensitive dermatitis, etc	2mL × 50Amp
 Ascorbic Acid Injection 500mg Jeil	**Active ingredient :** Ascorbic Acid 250mg/1mL **Pharmaceutical excipient :** Sodium Bicarbonate, Sodium bisulfite, Water For Injection	In cases where acute or oral administration is difficult 1. Prevention and Treatment of Vitamin C Deficiency: Scurvy, etc 2. When the requirement of vitamin C increases: Pregnant women, severe physical labor, etc 3. If any of the following diseases is believed to be involved in vitamin C deficiency or metabolic disorders 1) Capillary hemorrhage (non-bleeding, gingival bleeding, hematuria, etc 2) Drug administration (salicylate, atropine, ammonium chloride, barbiturate, etc.) 3) The formation of bone matrix during fracture and the promotion of bone fusion 4) Pigmentation after melasma, freckle, and inflammation 5) Photosensitive dermatitis, etc	2mL × 50Amp

Product	Materials	Indication	Package
 Ascorbic acid Powder 25% Jeil	**Active ingredient :** Ascorbic Acid 250mg/1mL **Pharmaceutical excipient :** Water For Injection, Sodium bisulfite, Sodium Bicarbonate	In cases where acute or oral administration is difficult 1. Prevention and Treatment of Vitamin C Deficiency: Scurvy, etc 2. When the requirement of vitamin C increases: Pregnant women, severe physical labor, etc 3. If any of the following diseases is believed to be involved in vitamin C deficiency or metabolic disorders 1) Capillary hemorrhage (non-bleeding, gingival bleeding, hematuria, etc 2) Drug administration (salicylate, atropine, ammonium chloride, barbiturate, etc.) 3) The formation of bone matrix during fracture and the promotion of bone fusion 4) Pigmentation after melasma, freckle, and inflammation 5) Photosensitive dermatitis, etc	20mL × 10Vial
 Chlorpheniramine Maleate Injection Jeil	**Active ingredient :** Chlorpheniramine Maleate 2mg/1mL **Pharmaceutical excipient :** Benzyl alcohol, Water For Injection	Hay fever, urticaria, itchy dermatologic diseases (eczema, dermatitis, pruritus cutaneus, drug eruption, insect bites), allergic rhinitis, vascular motility rhinitis	2mL × 100Amp
 Epinephrine Injection Jeil	**Active ingredient :** Epinephrine 1mg/1mL **Pharmaceutical excipient :** Hydrochloric acid, Sodium chloride, Water For Injection, Sodium bisulfite	Alleviation of bronchial asthma attacks, serum sickness. Urticaria. Alleviation of symptoms of nervus vascularis edema, drug-induced shock. Adjuvant therapy of cardiac arrest, continuation of local anesthetics effect	1mL × 10Amp 1mL × 50Amp
 Lidocaine Injection Jeil	**Active ingredient :** Lidocaine Hydrochloride Hydrate 21.33mg/1mL **Pharmaceutical excipient :** Water For Injection, Sodium hydroxide, Sodium chloride	[Anesthesia] Epidural anesthesia, transmission anesthesia, infiltration anesthesia, surface anesthesia [Use in medical] Ventricular arrhythmia	20mL × 10Vial

Product	Materials	Indication	Package
 Lidocaine 1% Injection	**Active ingredient :** Lidocaine Hydrochloride Hydrate 10.665mg/1mL **Pharmaceutical excipient :** Water For Injection, Sodium hydroxide, Sodium chloride	[Anesthesia] Epidural anesthesia, transmission anesthesia, infiltration anesthesia, surface anesthesia [Use in medical] Ventricular arrhythmia	3.5mL × 10Amp 4mL × 10, 100Amp 5mL × 10Amp
Lidocaine Injection 1% 20Ml Jeil	**Active ingredient :** Lidocaine Hydrochloride Hydrate 10.665mg/1mL **Pharmaceutical excipient :** Sodium hydroxide, Water For Injection, Sodium chloride	[Anesthesia] Epidural anesthesia, transmission anesthesia, infiltration anesthesia, surface anesthesia [Use in medical] Ventricular arrhythmia	20mL × Packing unit
Lidocaine HCl 2% epinephrine injection(1:100,000) Jeil	**Active ingredient :** Lidocaine Hydrochloride Hydrate 21.33mg/1mL, Epinephrine 0.01mg/1mL **Pharmaceutical excipient :** Sodium metabisulfite, Hydrochloric acid, Citric acid hydrate, Sodium hydroxide, Water For Injection, Sodium chloride, Methyl p-Hydroxybenzoate	Transmission anesthesia and infiltration anesthesia in dental areas	1.8mL × 10, 50, 100, 200 Cartridge Amp
Lidocaine HCl 2% epinephrine injection(1:80,000) Jeil	**Active ingredient :** Lidocaine Hydrochloride Hydrate 21.33mg/1mL, Epinephrine 0.0125mg/1mL **Pharmaceutical excipient :** Sodium chloride, Sodium metabisulfite, Water For Injection, Methyl p-Hydroxybenzoate	Transmission anesthesia and infiltration anesthesia in dental areas	1.8mL × 10, 50, 100, 200 Cartridge Amp

Product	Materials	Indication	Package
 Thiamine Hcl Injection Jeil	**Active ingredient :** Thiamine Hydrochloride 25mg/1mL **Pharmaceutical excipient :** Water For Injection, Benzyl alcohol	1. Prevention and treatment of vitamin B1 deficiency 2. Supply in cases where vitamin B1 is insufficient in intake from meals due to increased demand, Consumption diseases, hyperthyroidism, pregnant women, nursing mothers, and severe physical labor 3. Wernickes encephalopathyRespectively 4. Beriberi 5. Vitamin B1 deficiency or metabolic disorder is presumed to be involved in any of the following diseases 1) Muscle pain and joint pain 2) Neuralgia, peripheral neuritis, peripheral paralysis 3) Myocardial metabolic disorder	2mL × 50Amp
 Water for Injection Jeil	**Active ingredient :** Water For Injection 1mL/1mL	A solvent for various injections	5mL × 50Amp 10mL × 50Amp 20mL × 50Amp 20mL × 50PE
 Water for Injection 6mL Jeil	**Active ingredient :** Water For Injection 1mL/1mL	A solvent for various injections	30, 50, 100, 200Amp
Water for Injection Jeil	**Active ingredient :** Water For Injection 1mL/1mL	A solvent for various injections	4mL × 10, 50Amp 21mL × 10, 50Amp
 Diclofenac Sodium Injection Jeil	**Active ingredient :** Diclofenac Sodium 37.5mg/1mL **Pharmaceutical excipient :** Disodium Edetate Hydrate, Sodium hydroxide, Lidocaine hydrochloride hydrate, Propylene Glycol, Polyethylene glycol 400, Water For Injection, Sodium Pyrosulfite	1. It can be used for the following diseases.. Rheumatoid arthritis, osteoarthritis (degenerative joint disease), ankylosing spondylitis, Postoperative or post-traumatic inflammation and pain, acute gout, renal and hepatic colic	2mL × 50Amp

Product	Materials	Indication	Package
Diclofenac Sodium Injection 2.5% Jeil	**Active ingredient :** Diclofenac Sodium 25mg/1mL **Pharmaceutical excipient :** Water For Injection, Sodium Pyrosulfite, Sodium hydroxide, D-mannitol, Propylene Glycol, Benzyl alcohol	1. It can be used for the following diseases. Rheumatoid arthritis, osteoarthritis (degenerative joint disease), ankylosing spondylitis, Postoperative or post-traumatic inflammation and pain, acute gout, renal and hepatic colic	3mL × Packing unit (Amp)
 Magnesium Sulfate Injection 50% Jeil	**Active ingredient :** Magnesium Sulfate Hydrate 500mg/1mL **Pharmaceutical excipient :** Water For Injection	Convulsion caused by hypomagnesemia, seizures of eclampsia, Prevention of uterine stiffness, electrolyte supply (hypomagnesemia)	20mL × 5Amp 20mL × 50Amp
 Sodium Bicarbonate Injection 8.4% Jeil	**Active ingredient :** Sodium Bicarbonate 84mg/1mL **Pharmaceutical excipient :** Disodium Edetate Hydrate, Water For Injection	1. Acidosis 2. Acute urticaria	20mL × 10Amp
 Sodium Bicarbonate Injection 7.5% Jeil	**Active ingredient :** Sodium Bicarbonate 75mg/1mL **Pharmaceutical excipient :** Water For Injection, Disodium Edetate Hydrate	1. Acidosis 2. Acute urticaria	20mL × Packing unit (Amp)
Sodium Bicarbonate Injection Jeil	**Active ingredient :** Sodium Bicarbonate 50mg/1mL **Pharmaceutical excipient :** Water For Injection, Disodium Edetate Hydrate	1. Acidosis 2. Acute urticaria	20mL × Packing unit (Amp)

Product	Materials	Indication	Package
 Hyoscine Butylbromide Injection	**Active ingredient :** Scopolamine Butylbromide 20mg/1mL **Pharmaceutical excipient :** Water For Injection, Sodium chloride	1. Convulsion and motor function enhancement in the following diseases: gastric and duodenal ulcer, esophageal convulsion, pyloric spasm, gastritis, enteritis, intestinal colic, spastic constipation, functional diarrhea, cholecystitis, cholangitis, cholelithiasis, biliary dyskinesia, postgastrectomy and postcholecystectomy syndrome, urolithiasis, cystitis, urinary tract and bladder spasms due to instrument insertion, difficult menstruation, lower uterine convulsion during delivery 2. Pre-treatment of X-rays and endoscopy of digestive tract	1mL × 50Amp
 Betamethasone Injection Jeil (Betamethasone sodium phosphate)	**Active ingredient :** Betamethasone Sodium Phosphate 4mg/1mL **Pharmaceutical excipient :** Disodium Edetate Hydrate, Dibasic Sodium Phosphate Hydrate, Sodium hydroxide, Sodium bisulfite, Water For Injection, Phenol	1. Department of Internal Medicine and Pediatrics: Collagen disease, adrenocortical dysfunction, bronchial asthma, asthmatic seizure status, asthmatic bronchitis, pediatric asthmatic bronchitis, serum disease, drug allergy, vasomotor rhinitis, hay fever, thyrotoxicosis, nephropathy or nephrotic syndrome, severe acute hepatitis, localized enteritis, ulcerative colitis, purpura disease, acquired hemolytic anemia, dysplastic anemia, acute leukemia, chronic lymphocytic leukemia, acute metastasis of chronic myelogenous leukemia, granulocytosis, sarcoidosis, eosinophilic granuloma, lymphosarcomatosis, reticulum cell sarcoma, multiple sclerosis, optic neuromyelitis, myelitis, encephalomyelitis, Guillain-Barre syndrome, Sydenham's chorea, facial neuropathy, still's disease, myogelosis, spinal arachnoiditis, congestive heart failure, subacute thyroiditis, Ocular protrusion accompanied by thyroid disease, idiopathic hypoglycemia, pulmonary fibrosis, pulmonary tuberculosis (including miliary tuberculosis), tuberculous pleurisy, tuberculous peritonitis, and severe infections (combined with chemotherapy) 2. Surgery: Resection of adrenal gland, surgical invasion of patients with adrenocortical insufficiency, severe surgical infections in organ and tissue transplantation, snake venom, insect venom, post-invasive pulmonary edema, early keloid 3. Orthopedics: Rheumatoid arthritis, cystitis, deformable arthritis, tendinitis, tenosynovitis, gouty arthritis, periarthritis 4. Obstetrics and gynecology: Prevention of placenta accreta after tuboplasty 5. Urology: Prostate gland cancer, adrenogenital syndrome, and penile induration 6. Ophthalmology: Blepharitis, conjunctivitis, iridocyclitis, acute and chronic uveitis, retinal vascular peripheral inflammation, inflammatory pseudo-tumors of orbit, orbital apex syndrome, ophthalmoplegia 7. Dermatology 1) Eczema and similar symptoms, urticaria (severely severe only), strophulus infantum (scarp-shaped placenta), erythema exudativum multiforme, mucosal epidermis syndrome (open erosive epidermis, behcet disease, Lipschutz acute vulva ulcer), toxicoderma, drug eruption, psoriasis vulgaris, pemphigus foliaceus, arthropathic psoriasis, pustular psoriasis, dermatitis herpetiformis Duhring, pemphigoid, Senear Usher syndrome, hereditary bullous epidermolysis, gestational herpes, gestational herpes, pemphigus vulgaris, pemphigus vegetans, erythyroderma (exfoliative dermatitis), acute and subacute erythematous lupus, dermatomyositis, adult edema sclerosis, nodular arteriosclerits, allergic vasculitis, reticulosis cutis, mycosis fungoides, Ulcerative chronic pyoderma, severe facial disseminated lupus, progressive obstructive keratosis, severe pityriasis rubra pilaris, Raynaud's disease, nodular erythema, and sarcoidosis 2) treatment of proto-leatherism 8. Otolaryngology: Eczematoid otitis externa, auricular dermatitis, effusion otitis media, acute sensoryneural hearing loss, Meniere's disease, nasal vestibulitis and peripheral inflammation, allergic rhinitis, progressive gangrenous rhinitis, stomatitis, glossitis, and after use of direct-endoscoperectus	1mL × 50Amp

Product	Materials	Indication	Package
 Aminophylline Injection Jeil	**Active ingredient :** Aminophylline Hydrate 25mg/1mL **Pharmaceutical excipient :** Ethylenediamine, Water For Injection	1. Relief of various symptoms such as difficulty breathing due to airway obstructive disorders in the following diseases: bronchial asthma, asthma bronchitis, emphysema, chronic bronchitis 2. Congestion heart failure, heart asthma (prevention of seizures), chain-stokes breathing	10mL × 50Amp
 Mezocaffine Injection (Caffeine And Sodium Benzoate)	**Active ingredient :** Lidocaine Hydrochloride Hydrate 10.665mg/1mL **Pharmaceutical excipient :** Sodium hydroxide, Water For Injection, Sodium chloride	1. A headache caused by a spinal tap 2. Supplements for respiratory stimulation when respiratory depression caused by alcohol or morphine poisoning	20mL × Packing unit
 Trenzamine Injection 250mg (Tranexamic acid)	**Active ingredient :** Tranexamic Acid 50mg/1mL **Pharmaceutical excipient :** Water For Injection	1. The tendency of bleeding to be associated with systemic fibroblastic hypertrophy (leukemia, dysplastic anemia, purpura, cancer and abnormal bleeding during and after surgery) 2. Abnormal bleeding to be associated with local fibroblastic hypertrophy (lung bleeding, genital bleeding, renal bleeding, abnormal bleeding during and after prostate surgery)	5mL × 50Amp
 Trenzamine Injection 500mg (Tranexamic acid)	**Active ingredient :** Tranexamic Acid 100mg/1mL **Pharmaceutical excipient :** Water For Injection	1. The tendency of bleeding to be associated with systemic fibroblastic hypertrophy (leukemia, dysplastic anemia, purpura, cancer and abnormal bleeding during and after surgery) 2. Abnormal bleeding to be associated with local fibroblastic hypertrophy (lung bleeding, genital bleeding, renal bleeding, abnormal bleeding during and after prostate surgery)	5mL × 10Amp

Product	Materials	Indication	Package
 Ketolac Injection (Ketorolac tromethamine)	**Active ingredient :** Ketorolac Tromethamine 30mg/1mL **Pharmaceutical excipient :** Water For Injection, Sodium chloride, Sodium hydroxide, Ethanol	1. Main effect: short-term therapy for moderate and severe pain 2. It can also be used for the following postoperative pain. General surgery, orthopedics, gynecology, dental surgery, etc 3. Children over the age of two, Severe postoperative pain for which narcotic analgesics are contraindicated	1mL × Packing unit (Amp) 2mL × Packing unit (Amp)
 Neostigmine Methylsulfate Injection Jeil	**Active ingredient :** Neostigmine Methylsulfate 0.5mg/1mL **Pharmaceutical excipient :** Benzyl alcohol, Sodium hydroxide, Water For Injection	1. Myasthenia gravis 2. Antidote to non-polarizing muscle relaxants (such as Tubocurarine) 3. Postoperative and postpartum urination difficulty	1mL × 50Amp
 Hwangsan Athrofin Inj. 0.1%	**Active ingredient :** Atropine Sulfate Hydrate 1mg/1mL **Pharmaceutical excipient :** Benzyl alcohol, Sodium chloride, Water For Injection, Sulfuric acid	Spastic pain in the gastrointestinal tract, colic in the bile ducts and ureter, spastic constipation, secretion and hyperkinesis in gastric and duodenal ulcers, atrioventricular conduction disorders, vagus nerve bradycardia, Dosing before anesthesia, poisoning with organophosphorous insecticide and parasympathetic nerve stimulants	1mL × Packing unit (Amp)
 Atropine Sulfate Injection Jeil	**Active ingredient :** Atropine Sulfate Hydrate 0.5mg/1mL **Pharmaceutical excipient :** Sulfuric acid, Water For Injection, Benzyl alcohol, Sodium chloride	Spastic pain in the gastrointestinal tract, colic in the bile ducts and ureter, spastic constipation, secretion and hyperkinesis in gastric and duodenal ulcers, atrioventricular conduction disorders, vagus nerve bradycardia, Dosing before anesthesia, poisoning with organophosphorous insecticide and parasympathetic nerve stimulants	1mL × 50Amp 20mL × 50Amp

Product	Materials	Indication	Package
 Ephedrine HCl Injection 4% jeil	**Active ingredient :** Ephedrine Hydrochloride 40mg/1mL **Pharmaceutical excipient :** Water For Injection	1. Cough in the following diseases: bronchial asthma, cold, acute/chronic bronchitis, upper respiratory inflammation 2. Congestion and swelling of the nasal mucosa	1mL × 10Amp 1mL × 50Amp
 Bupivacaine HCl Heavy Injection 0.5% Jeil	**Active ingredient :** Bupivacaine Hydrochloride Hydrate 5.28mg/1mL **Pharmaceutical excipient :** Glucose, Sodium hydroxide, Water For Injection	(Injection: 0.25%, 0.5%) Transmission anesthesia, epidural anesthesia (Injection: 0.75%) Lumbar epidural anesthesia during surgical operation (0.5% hydrochloride bupivacaine glucose injection) Spine anesthesia during surgery (e.g., urinary system and lower extremities surgery that takes 2-3 hours, abdominal surgery that takes 45-60 minutes)	4mL × Packing unit (Amp)
Bubca Injection (Bupivacaine Hydrochloride Hydrate)	**Active ingredient :** Bupivacaine Hydrochloride Hydrate 5.28mg/1mL **Pharmaceutical excipient :** Sodium chloride, Water For Injection, Sodium hydroxide	(Injection: 0.25%, 0.5%) Transmission anesthesia, epidural anesthesia (Injection: 0.75%) Lumbar epidural anesthesia during surgical operation (0.5% hydrochloride bupivacaine glucose injection) Spine anesthesia during surgery (e.g., urinary system and lower extremities surgery that takes 2-3 hours, abdominal surgery that takes 45-60 minutes)	5mL × 10, 20, 50, 100Amp 20mL × 10, 20, 50, 100Amp
 Dexpan Injection (Dexpanthenol)	**Active ingredient :** Dexpanthenol 250mg/1mL **Pharmaceutical excipient :** Water For Injection	Main effect 1) Prevention and Treatment of Pantothenic Acid Deficiency 2) Supply when demand for pantothenic acid increases and intake from meals is insufficient (consumption disease, hyperthyroidism, pregnant women, lactating women, etc.) 3) A deficiency of pantothenic acid or metabolic disorder is presumed to be involved in any of the following diseases: Prevention and treatment of side effects from streptomycin and kanamycin, contact dermatitis, acute/chronic eczema, postoperative intestinal paralysis	2mL × 10, 50Amp

Product	Materials	Indication	Package
 Methylergonovine Injection Jeil	**Active ingredient :** Methylergometrine Maleate 0.2mg/1mL **Pharmaceutical excipient :** Sodium chloride, Tartaric acid, Water For Injection	(Injection) Prevention and treatment of bleeding in the following cases: After expulsion of placenta, After delivery, After cesarean section, postabortal bleeding, subinvolution of uterus	1mL × 50Amp
 Ambroc Injection (Ambroxol hydrochloride)	**Active ingredient :** Ambroxol Hydrochloride 7.5mg/1mL **Pharmaceutical excipient :** Sodium chloride, Water For Injection, Dibasic sodium phosphate hydrate, Citric acid	1. Acute and chronic respiratory diseases caused by mucus secretion disorders: chronic bronchitis, asthma bronchitis, and acute attack of bronchial asthma 2. Respiratory distress syndrome in premature babies and newborns 3. Prevention and treatment of pulmonary complications before and after surgery	2mL × Packing unit (Amp)
 Cimetidine Injection 200mg Jeil	**Active ingredient :** Cimetidine 100mg/1mL **Pharmaceutical excipient :** Hydrochloric acid, Water For Injection	Zollinger-Ellison syndrome syndrome, upper gastrointestinal bleeding (due to peptic ulcer, acute stress ulcer, hemorrhagic gastritis)	2mL × 50Amp
Simetin Injection 300mg (Cimetidine)	**Active ingredient :** Cimetidine 150mg/1mL **Pharmaceutical excipient :** Water For Injection, Hydrochloric acid	Gastric duodenal ulcers, reflux esophagitis, Zollinger-Ellison syndrome, upper gastrointestinal bleeding (due to peptic ulcers, acute stress ulcers, hemorrhagic gastritis), recurrent ulcers	2mL × Packing unit

Product	Materials	Indication	Package
 Citicoline Sodium Injection 125mg Jeil	**Active ingredient :** Citicoline Sodium 125mg/1mL **Pharmaceutical excipient :** Water For Injection, Sodium hydroxide	1. Impaired consciousness caused by head trauma and brain surgery 2. Promoting the recovery of upper limb function in stroke hemiplegia patients. only in case of relatively mild paralysis of the lower extremities due to rehabilitation and oral pharmacotherapy (administration of brain metabolism boosters, brain circulation improvement agents, etc.) with in one year after attack 3. Combination therapy with protease inhibitors for the following diseases 1) Acute pancreatitis 2) Acute exacerbation of chronic recurrent pancreatitis 3) Acute postoperative pancreatitis	1mL × 10Amp 1mL × 50Amp
 Bracolin 500mg Inj., EXCOLINE Inj.500mg, JEIL-BRA Inj., JEIL-CITIMEX INJ	**Active ingredient :** Citicoline Sodium 250mg/1mL **Pharmaceutical excipient :** Sodium hydroxide. Water For Injection	1. Impaired consciousness caused by head trauma and brain surgery 2. Promoting the recovery of upper limb function in stroke hemiplegia patients. Only in case of relatively mild paralysis of the lower extremities due to rehabilitation and oral pharmacotherapy (administration of brain metabolism boosters, brain circulation improvement agents, etc.) with in one year after attack 3. Combination therapy with protease inhibitors for the following diseases 1) Acute pancreatitis 2) Acute exacerbation of chronic recurrent pancreatitis 3) Acute postoperative pancreatitis	2mL × 10Amp 4mL × 10Amp
Citicoline Injection Jeil	**Active ingredient :** Citicoline 250mg/1mL **Pharmaceutical excipient :** Sodium bisulfite, Water For Injection, Sodium hydroxide	1. Impaired consciousness caused by head trauma and brain surgery 2. Promoting the recovery of upper limb function in stroke hemiplegia patients. Only in case of relatively mild paralysis of the lower extremities due to rehabilitation and oral pharmacotherapy (administration of brain metabolism boosters, brain circulation improvement agents, etc.) with in one year after attack 3. Combination therapy with protease inhibitors for the following diseases 1) Acute pancreatitis 2) Acute exacerbation of chronic recurrent pancreatitis 3) Acute postoperative pancreatitis	2mL × Packing unit (Amp)
 Ketoprofen Injection Jeil	**Active ingredient :** Ketoprofen 50mg/1mL **Pharmaceutical excipient :** Water For Injection, Citric acid hydrate, Benzyl alcohol, Arginine, Sodium hydroxide	(Injection) Rheumatoid arthritis, osteoarthritis (degenerative joint disease), ankylosing spondylitis, Postoperative or post-traumatic inflammation and pain, acute gout	2mL × 10Amp 2mL × 50Amp

Product	Materials	Indication	Package
 P-Cetam., JEIL P-CETAM 1g	**Active ingredient :** Piracetam 200mg/1mL **Pharmaceutical excipient :** Sodium chloride, Glacial Acetic Acid, Water For Injection, Sodium Acetate Hydrate	Improvement of cognitive impairment (concentration and memory impairment) symptoms in the elderly	5mL × 10Amp 15mL × 8Amp 60mL × 10Vial
 Furtiamine Injection (Fursultiamine HCl)	**Active ingredient :** Fursultiamine Hydrochloride 2.729mg/1mL **Pharmaceutical excipient :** Sodium hydroxide, Water For Injection, Glucose, Hydrochloric acid	1. Prevention and treatment of vitamin B1 deficiency 2. Supplementation when vitamin B1 is insufficient to be consumed from food due to increased demand (consumption disease, hyperthyroidism, pregnant women, lactating women, etc.) 3. Wernicke encephalopathy 4. Heart failure 5. Vitamin B1 deficiency or metabolic disorders due to the following diseases are presumed to be involved 1) Nerve pain 2) Muscle pain, joint pain 3) Peripheral neuropathy, peripheral nerve paralysis 4) Myocardial metabolic disorder 5) Postoperative intestinal paralysis: There is no effect on cases where vitamin B1 deficiency or metabolic disorders are presumed to be involved, but they should not be used for about a month without any purpose.	20mL × 10Amp
 Phenytoin Sodium Injection 50mg/mL Jeil	**Active ingredient :** Phenytoin Sodium 50mg/1mL **Pharmaceutical excipient :** Propylene glycol, Water For Injection, Sodium hydroxide, Ethanol	(Injection) 1. Status epilepticus 2. When oral administration is not possible (especially disturbance of consciousness, during and after surgery, etc.) 3. Arrhythmia due to Digitalis poisoning (ventricular arrhythmia)	2mL × Packing unit (Amp) 5mL × Packing unit (Amp)
 Hepapan Inj.	**Active ingredient :** Anhydrous L-Ornitine-L-Aspartate 500mg/5mL **Pharmaceutical excipient :** Potassium metabisulfite, Water For Injection	* 100 mg/mL Adjuvant therapy for detoxifying severe liver disease: hepatitis, hepatitis sequelae, cirrhosis	5mL × 10Amp

Product	Materials	Indication	Package
 Hydral Injection (Hydralazine HCl)	**Active ingredient :** Hydralazine Hydrochloride 20.0mg/1mL **Pharmaceutical excipient :** Propylene Glycol, Water For Injection, Chlorobutanol, Ethanol, Disodium Edetate Hydrate	(Injection) Severe essential hypertension in the following cases: Emergency hypertension (hypertensive onset) when oral administration is not possible	1mL × Packing unit (Amp)
 Gluphagen Inj.	**Active ingredient :** Ammonium Glycyrrhizinate 53mg/20mL, Glycine 400mg/20mL, L-Cysteine Hydrochloride 20mg/20mL **Pharmaceutical excipient :** Sodium chloride, Sodium hydroxide, Citric acid hydrate, Water For Injection, Sodium hydrogen sulfite	Adjuvant therapy for hives, eczema, allergic skin diseases, and drug poisoning Improving liver function in chronic liver disease	2mL × 10Amp 4mL × 10Amp
 Morphine Hcl Injection Jeil	**Active ingredient :** Morphine Hydrochloride Hydrate 10mg/1mL **Pharmaceutical excipient :** Sodium bisulfite, Sodium chloride, Water For Injection	1. Relief from severe pain 2. The sedation of a severe cough attack 3. Assistance to general anesthesia	0.5mL × 25Amp 1mL × 25Amp
 Pethidine Hcl Injection Jeil	**Active ingredient :** Pethidine Hydrochloride 50mg/1mL **Pharmaceutical excipient :** Water For Injection	1. Relief of intense pain, sedation, and spasmolysis 2. Pre-anesthetic administration 3. Drug adjuvant during anesthesia 4. Labor analgesia	2mL × 10Amp 2mL × 50Amp

Product	Materials	Indication	Package
 Phenobarbital Injection Jeil	**Active ingredient :** Phenobarbital Sodium 100mg/1mL **Pharmaceutical excipient :** Propylene Glycol, Benzyl alcohol, Water For Injection	(Injection) Sedation (if urgent), epilepsy, status epilepticus	1mL × 50Amp
 Phenobarbital Injection Jeil (Phenobarbital Sodium)(Ampule)	**Active ingredient :** Phenobarbital Sodium 100mg/1mL **Pharmaceutical excipient :** Benzyl alcohol, Water For Injection, Propylene Glycol	Sedation (if urgent), epilepsy, status epilepticus	1mL × 10, 25, 50, 100Amp
Fentanyl Citrate Injection Jeil	**Active ingredient :** Fentanyl 78.5μg/1mL **Pharmaceutical excipient :** Sodium hydroxide, Water For Injection	1. Short-time painkillers in the following cases: Under anesthesia, pre-anesthesia administration, anesthesia induction, maintenance of anesthesia, and immediately after surgery (recovery room) 2. Narcotic pain supplements in general or local anesthesia 3. Pre-anesthetic medication to induce anesthesia and maintain anesthesia when used in combination with nerve relaxants such as droperidol 4. Anesthesia in combination with oxygen to the following high-risk patient groups: open heart surgery, complex nervous system and orthopedic surgery	2mL × Packing unit (Amp) 10mL × Packing unit (Amp) 20mL × Packing unit (Amp)
Pentazocine Injection Jeil	**Active ingredient :** Pentazocine 30mg/1mL **Pharmaceutical excipient :** Lactic acid, Sodium chloride, Water For Injection	(Injection) 1. Moderate to severe pain relief 2. Pre-anesthesia administration and drug adjuvant for anaesthesia	1mL × 10, 25, 50, 100Amp

Product	Materials	Indication	Package
 Isotonic Sodium Chloride Injection Jeil	**Active ingredient :** Sodium chloride 9mg/1mL **Pharmaceutical excipient :** Water For Injection	1. Supply in the event of water and electrolyte deficiency (sodium deficiency, chlorine deficiency) 2. A dissolution diluent of an injection	20mL × 50Amp 20mL × 50PE 10mL × 50PE
Isotonic Sodium Chloride Injection 21mL Jeil	**Active ingredient :** Sodium chloride 9mg/1mL **Pharmaceutical excipient :** Water For Injection	*0.45 and 0.9% injections 1. Supply in the event of water and electrolyte deficiency (sodium deficiency, chlorine deficiency) 2. A dissolution diluent of an injection *0.9% kit injection A dissolution diluent of an injection *3% injection Fast supply of electrolytes and water In particular, it is used in the following cases. 1. Hyponatremia or Hypochloremia 2. In the case where extracellular fluid is severely diluted due to excessive water intake by repeated enema or perfusion of perfusion fluid into the open venous sinus during transitional total resection 3. First aid in case of severe salt depletion *11.7% injection Electrolyte Correction of Electrolyte Supplement (Hyponatremia, Hypchlorinemia)	10, 25, 50, 100 Amp
 Water For Injection	**Active ingredient :** Sodium Chloride 0.117g/1mL **Pharmaceutical excipient :** Sodium chloride, Water For Injection, Sodium hydroxide	Electrolyte Correction of Electrolyte Supplement (Hyponatremia, Hypchlorinemia)	20mL × 10Amp 20mL × 50PE
 Potassium Chloride Injection Jeil	**Active ingredient :** Potassium Chloride 0.150g/1mL **Pharmaceutical excipient :** Water For Injection	1. Hypokalemia (including hypokalemia after diuretic administration) 2. Digitalis poisoning	2mL × 10Amp 2mL × 50PE

Product	Materials	Indication	Package
 Yeomcaru Injection (Calcium Chloride)	**Active ingredient :** Calcium Chloride Hydrate 30mg/1mL **Pharmaceutical excipient :** Water For Injection	Hypocalcemia-induced Tetany or its related symptoms Magnesium poisoning	20mL × 10Amp 20mL × 50PE
 Dextrose Injection Jeil	**Active ingredient :** Glucose 200mg/1mL **Pharmaceutical excipient :** Water For Injection	1. Energy supply during hyperkalemia, circulatory disruption, and hypoglycemia 2. Heart disease (GIK therapy), hydration, and energy supply 3. Drugs Poisoning	20mL × 10Amp 20mL × 50PE
 Dextrose Injection 40% Jeil	**Active ingredient :** Glucose 400mg/1mL **Pharmaceutical excipient :** Water For Injection	1. Energy supply during hyperkalemia, circulatory disruption, and hypoglycemia 2. Heart disease (GIK therapy), hydration, and energy supply 3. Drugs Poisoning	20mL × Packing unit (PE)
Dextrose Injection 50% Jeil	**Active ingredient :** Glucose 500mg/1mL **Pharmaceutical excipient :** Water For Injection	1. Energy supply during hyperkalemia, circulatory disruption, and hypoglycemia 2. Heart disease (GIK therapy), hydration, and energy supply 3. Drugs Poisoning	20mL × Packing unit 50mL × Packing unit

Product	Materials	Indication	Package
Mezocarline Injection (L-carnitine)	**Active ingredient :** L-Carnitine 200mg/1mL **Pharmaceutical excipient :** Hydrochloric acid, Sodium chloride, Sodium hydroxide, Water For Injection	1. Primary and secondary Carnitine deficiency 2. Myocardial Metabolic Disorder Due to Ischemic Heart Disease: angina, acute myocardial infarction 3. Treatment of Carnitine Deficiency in End-Term renal disease Patients Under Hemodialysis	5mL × Packing unit (Amp)
Mezotoxil Injection (Pentoxifylline)	**Active ingredient :** Pentoxifylline 20.0mg/1mL **Pharmaceutical excipient :** Hydrochloric acid, Sodium chloride, Sodium hydroxide, Water For Injection	1. Brain circulatory disorders (ischemia and post-stroke symptoms, symptoms of cerebral arteriosclerosis such as dizziness, headache and forgetfulness) 2. Impaired circulation of blood in the eyes 3. Peripheral arterial circulatory disorders (intermittent claudication, pain at rest, diabetic vascular disease, atrophy, vascular neuropathy)	5mL × Packing unit (Amp)
Cerasin Injection (Cerebrolysin)	**Active ingredient :** Cerebrolysin 215.2mg/1mL **Pharmaceutical excipient :** Water For Injection, Sodium hydroxide	Alzheimer's type senile dementia, post-stroke brain dysfunction, skull trauma (concussion, concussion, postoperative trauma)	1mL × Packing unit (Amp) 2mL × Packing unit (Amp) 5mL × Packing unit (Amp) 10mL × Packing unit (Amp) 20mL × Packing unit (Amp)
Soludin Injection (Isosorbide Dinitrate Diluted)	**Active ingredient :** Dilute Isosorbide Nitrate 10mg/1mL **Pharmaceutical excipient :** Water For Injection	(Injection) 1. Acute heart failure (including left heart failure due to acute myocardial infarction) 2. Severe or unstable angina	10mL × 5, 10, 20, 50Amp

Product	Materials	Indication	Package
Cysten Injection (Acetylcysteine)	**Active ingredient :** Acetylcysteine 100mg/1mL **Pharmaceutical excipient :** Disodium Edetate Hydrate, Sodium hydroxide, Water For Injection	1. Symptoms of sputum discharge in the following bronchial diseases accompanied by thick and high viscosity phlegm: Acute and chronic bronchitis, bronchiectasis, asthmatic bronchiolitis, bronchial asthma, phosphorus and laryngitis, sinusitis, cystic fibrosis, postoperative pulmonary complications 2. Detoxification of paracetamol poisoning	3mL × Packing unit
Adenamine Injection (Cobamamide)	**Active ingredient :** Cobamamide 0.5mg/1mL **Pharmaceutical excipient :** Water For Injection	1. Prevention and treatment of vitamin B12 deficiency 2. Supply when demand for vitamin B12 increases and absorption from meals is insufficient: Consumptive diseases, hyperthyroidism, pregnant women, nursing mothers, etc 3. A massive parenteral anemia 4. Photodenal papillomatosis 5. A neurological disorder accompanied by malignant anemia 6. Malabsorption syndrome (sprue, etc.) 7. If a deficiency of vitamin B12 or metabolic disorder is presumed to be involved in any of the following diseases 1) Malnutrition and gestational anemia 2) Anemia after gastric resection 3) Anemia associated with liver disorder 4) Radiation-induced leukopenia 5) Neuralgia, peripheral neuropathy, peripheral neuropathy 6) Muscle pain, joint pain 7) Central neurological disorders: myelitis, degenerative diseases, etc	1mL × 10, 50Amp 2mL × 10, 50Amp
Amegans Injection (L-Ornithine-L-Aspartate Hydrate)	**Active ingredient :** L-Ornithine-L-Aspartate Hydrate 500mg/1mL **Pharmaceutical excipient :** Potassium metabisulfite, Water For Injection, D-Sorbitol	(Infusion injection) Detoxification severe liver disease: Cirrhosis, chronic hepatitis, and hepatic encephalopathy (pre-marriage stage and including coma)	10mL × Packing unit (Amp)
Annaka Injection 10% (Caffeine And Sodium Benzoate)	**Active ingredient :** Caffeine·Sodium Benzoate 0.1g/1mL **Pharmaceutical excipient :** Water For Injection	1. A headache caused by a spinal tap 2. Supplements for respiratory stimulation when respiratory depression caused by alcohol or morphine poisoning	1mL × Packing unit (Amp) 2mL × Packing unit (Amp)

Product	Materials	Indication	Package
Annaka Injection 20% (Caffeine And Sodium Benzoate)	**Active ingredient :** Caffeine·Sodium Benzoate 0.2g/1mL **Pharmaceutical excipient :** Water For Injection	1. A headache caused by a spinal tap 2. Supplements for respiratory stimulation when respiratory depression caused by alcohol or morphine poisoning	1mL × Packing unit (Amp) 2mL × Packing unit (Amp)
Amcinolone Injection (Triamcinolone Acetonide)	**Active ingredient :** Triamcinolone Acetonide 40mg/1mL **Pharmaceutical excipient :** Sodium chloride, Benzyl alcohol, Carboxymethylcellulose sodium, Water For Injection, Polysorbate80	1. Intraarticular injection: Short-term treatments for the following diseases include intraarticular or mucous cystic injection and intrahepatic injection: synovitis of osteoarthritis, rheumatoid arthritis, acute and subacute bursitis, acute gouty arthritis, epicondylitis, acute and non-specific tenosynovitis, post-traumatic osteoarthritis 2. Muscle injection: It is used when oral therapy is not possible or inappropriate for the following diseases 1) Endocrine disorders: primary and secondary adrenal cortical insufficiency, acute adrenal cortical insufficiency, 2) Rheumatoid disorders: lichen arthritis, ankylosing spondylitis, rheumatoid arthritis (including juvenile rheumatoid arthritis), synovitis of osteoarthritis, acute and subacute bursitis, acute gouty arthritis, tenosynovitis, post-traumatic osteoarthritis 3) Collagen disease: systemic erythematous lupus, acute rheumatoid pericarditis 4) Dermatological diseases: pemphigus, polymorphic erythema, seborrheic dermatitis, lichen 5) Allergic diseases: bronchial asthma, contact dermatitis, atopic dermatitis, serum disease, seasonal allergic rhinitis (high fever), drug hypersensitivity reactions 6) Eye diseases: shingles, iridocyclitis, chorioretinitis, laryngitis, uveitis, optic nephritis 7) Gastrointestinal disease: ulcerative colitis, localized enteritis 8) Blood disease: Leukemia, lymphoma 3. Intraplasmic injection: Circular hair loss (viciousness limited), squamous glands (viciousness limited), early keloid	1mL × Packing unit (Vial) 5mL × Packing unit (Vial)
Gentamycin Injection 80mg Jeil (Gentamicin Sulfate)	**Active ingredient :** Gentamicin Sulfate 40mg/1mL **Pharmaceutical excipient :** Edetate sodium hydrate, Sodium bisulfite, Propyl p-Hydroxybenzoate, Methyl p-Hydroxybenzoate, Water For Injection	(Injection) 1. An effective strain Pseudomonas aeruginosa, E. coli, proteus, staphylococcus (including phenicillin and methicillin-resistant bacteria), Klebsiella, Enterobacter, Serratia, Citrobacter, Salmonella, Sigella 2. An indication 1) Sepsis (including neonatal sepsis) 2) Central nervous system infection (including meningitis) 3) Urinary tract infection 4) Respiratory infection 5) Gastrointestinal infections (including peritonitis) 6) Skin, bone and soft tissue infections (including burns and wounds) 7) Early treatment of Gram-negative bacterial infections 8) Initial treatment for unknown causative bacteria (combined with penicillin or cephalosporin drugs) 9) Fatal infections caused by Pseudomonas aeruginosa (combined with carbenicillin) 10) Endocarditis (combined with penicillin drugs)	2mL × 5, 10, 50, 100Amp

Product	Materials	Indication	Package
Calcium Gluconate Injection 10Ml Jeil	**Active ingredient :** Calcium Gluconate Hydrate 85mg/1mL **Pharmaceutical excipient :** Water For Injection	1. Hypocalcemia-induced Tetany or its related symptoms 2. Hives, hyperkalemia, magnesium poisoning	10mL × 10, 25, 50, 100Amp
Dopamine HCl Injection Jeil	**Active ingredient :** Dopamine Hydrochloride 10mg/1mL **Pharmaceutical excipient :** Water For Injection, Sodium bisulfite	Low blood pressure due to myocardial infarction, trauma, endotoxic sepsis, shock due to postoperative, renal impairment, chronic heart failure (chemic heart failure), fiburia, anuria, and decreased cardiac output	5, 10, 20, 50 Amp
Methocarbamol Injection Jeil	**Active ingredient :** Methocarbamol 100mg/1mL **Pharmaceutical excipient :** Macrogol 300, Water For Injection, Sodium bisulfite	Painful Shrinking Accompanied by Musculoskeletal Diseases: Low back pain, hard shoulder syndrome, peri-carticular inflammation, and deformable spondylosis	5, 10, 20, 50 Amp
Sterile Prednisolone Acetate Injection, Suspension Jeil	**Active ingredient :** Prednisolone Acetate 5mg/1mL **Pharmaceutical excipient :** Sodium chloride, Benzalkonium chloride, Water For Injection	1. Endocrine disorders: primary and secondary adrenocortical insufficiency, acute adrenocortical insufficiency, and adrenogenital syndrome 2. Rheumatoid disorder: chronic rheumatoid arthritis 3. Collagen disease: erythematous lupus, rheumatoid pericarditis, rheumatoid fever, polymyositis (skin myositis) 4. Skin disorder: pemphigus, lichen, neurotic dermatitis, lichen 5. Allergic diseases: bronchial asthma, contact dermatitis, atopic dermatitis, serum disease, allergic rhinitis, drug hypersensitivity, severe hives, hay fever 6. Eye diseases: iridocyclitis, chorioretinitis, keratitis 7. Gastrointestinal disease: ulcerative colitis 8. Blood disease: acquired hemolytic anemia, thrombocytopenia 9. Edematous diseases: nephrotic syndrome 10. Neurological disease: Hodgkin's disease (temporary action) 11. Other: An emergency of severe infection	2mL × Packing unit

Product	Materials	Indication	Package
Digoxin Injection Jeil	**Active ingredient :** Digoxin 0.25mg/1mL **Pharmaceutical excipient :** Water For Injection	1. Congestive heart failure (including pulmonary edema, heart asthma, etc.): caused by valve disease, hypertension, ischemic heart disease (myocardial infarction, angina, etc.), congenital heart disease, pulmonary heart (pulmonary thrombosis, embolism, emphysema, pulmonary fibrosis). 2. Atrial fibrillation, tachycardia, paroxysmal atrial tachycardia 3. Other heart diseases (pericarditis, myocardial diseases, etc.), hyperthyroidism and hypothyroidism 4. Prevention and treatment of heart failure or various tachycardia	10, 30, 50, 100Amp
Lincomycin HCl Injection Jeil	**Active ingredient :** Lincomycin Hydrochloride Hydrate 300mg/1mL **Pharmaceutical excipient :** Benzyl alcohol, Water For Injection	(Injection) 1. An effective strain Staphylococcus aureus susceptible to lincomycin, streptococcus (excluding enterococcus), and pneumococcus aureus 2. An indication 1) Abscess, soft tissue inflammation, raw hand, alone, lymphadenitis 2) Bronchitis, familial disease, pneumonia, tonsillitis, pharyngitis 3) Osteomyelitis, arthritis, mammary gland inflammation 4) Bacterial endocarditis, sepsis 5) Scarlet fever 6) Inflammation of the middle ear	1mL × Packing unit (Amp) 2mL × Packing unit (Amp) 5mL × Packing unit 10mL × Packing unit
Micacin Injection	**Active ingredient :** Amikacin Sulfate 125mg/1mL **Pharmaceutical excipient :** Sodium Citrate Hydrate, Sulfuric acid, Sodium bisulfite, Water For Injection	1. An effective strain Gentamycin-resistant Pseudomonas aeruginosa, proteus, seratia, E. coli, clevesiela, enterobacter, citrobacter, providencia, acinetobacter, staphylococcus aureus 2. An indication 1) Sepsis, bronchiectasis (in case of infection), pneumonia, lung abscess 2) Central nervous system infection (meningitis, etc.) 3) Bone and joint infections 4) Burns and postoperative infections 5) Peritonitis 6) Severe skin and soft tissue infections 7) Severe combined infections and recurrent urinary tract infections	2mL × Packing unit (Amp) 4mL × Packing unit (Amp)
Micacin Injection	**Active ingredient :** Amikacin Sulfate 125mg/1mL **Pharmaceutical excipient :** Sodium bisulfite, Sulfuric acid, Water For Injection, Sodium Citrate Hydrate	1. An effective strain Gentamycin-resistant Pseudomonas aeruginosa, proteus, seratia, E. coli, clevesiela, enterobacter, citrobacter, providencia, acinetobacter, staphylococcus aureus 2. An indication 1) Sepsis, bronchiectasis (in case of infection), pneumonia, lung abscess 2) Central nervous system infection (meningitis, etc.) 3) Bone and joint infections 4) Burns and postoperative infections 5) Peritonitis 6) Severe skin and soft tissue infections 7) Severe combined infections and recurrent urinary tract infections	2mL × Packing unit (Amp)

Product	Materials	Indication	Package
Amikacin Sulfate 250mg/1mL	**Active ingredient :** Amikacin Sulfate 250mg/1mL **Pharmaceutical excipient :** Sodium bisulfite, Water For Injection, Sodium Citrate Hydrate	1. An effective strain Gentamycin-resistant Pseudomonas aeruginosa, proteus, seratia, E. coli, clevesiela, enterobacter, citrobacter, providencia, acinetobacter, staphylococcus aureus 2. An indication 1) Sepsis, bronchiectasis (in case of infection), pneumonia, lung abscess 2) Central nervous system infection (meningitis, etc.) 3) Bone and joint infections 4) Burns and postoperative infections 5) Peritonitis 6) Severe skin and soft tissue infections 7) Severe combined infections and recurrent urinary tract infections	2mL × Packing unit (Amp)
Cholinealfocerate Injection Jeil	**Active ingredient :** Choline Alfoscerate 250mg/1mL **Pharmaceutical excipient :** Water For Injection	Secondary symptoms due to cerebrovascular defects and degenerative or degenerative cerebral apoptosis: 1. Geriatric cognitive impairment: memory loss, delirium, disorientation, decreased motivation and spontaneity, and decreased concentration. 2. Emotional and behavioural changes: emotional anxiety, irritation and sensitivity, and lack of interest. 3. Senile pseudopathy	4mL × Packing unit (Amp)
Piroxicam Injection Jeil	**Active ingredient :** Piroxicam 20mg/1mL **Pharmaceutical excipient :** Propylene glycol, Nicotinamide, Hydrochloric acid, Ethanol, Benzyl alcohol, Sodium dihydrogen phosphate, Sodium hydroxide, Water For Injection	This drug is administered only if it is refractory to other nonsteroidal anti-inflammatory drugs or insufficiently effective. 1. Rheumatoid arthritis, osteoarthritis, ankylosing spondylitis 2. Chronic limitations: Back pain, peri-shoulder joint inflammation, and cervical muscle syndrome	2mL × Packing unit (Amp) 5mL × Packing unit (Amp)
Pyridoxine Hcl Injection Jeil	**Active ingredient :** Pyridoxine Hydrochloride 50mg/1mL **Pharmaceutical excipient :** Benzyl alcohol, Sodium hydroxide, Hydrochloric acid, Water For Injection	1. Prevention and treatment of vitamin B6 deficiency Includes cases due to drug administration (e.g., isoniazid, hydralazine, pyrazinamide, phenysilamine) 2. If the demand for vitamin B6 increases and the intake from the meal is insufficient, Consumptive diseases, pregnant women and lactating women, and those taking estrogen drugs (e.g., oral contraceptives), etc 3. Vitamin B6 dependence, Vitamin B6, reactive anemia, etc 4. Vitamin B6 deficiency or metabolic disorder is presumed to be involved in any of the following diseases 1) Sperm, Sperm, Spondylitis, Sulphuritis 2) Acute and chronic eczema, seborrheic eczema, contact dermatitis 3) Peripheral neuropathy 4) Radiation disorders (homorrhea)	1mL × Packing unit (Amp) 2mL × Packing unit (Amp)

Product	Materials	Indication	Package
Phytonadione Injection Jeil	**Active ingredient :** Phytonadione 10mg/1mL **Pharmaceutical excipient :** Water For Injection, Polysorbate80	1. Prevention and Treatment of Neonatal Hemorrhagic Diseases 2. The following blood clotting diseases due to vitamin K deficiency or abnormal activity of vitamin K when acute or oral administration is difficult 1) Anticoagulant-induced prothrombin deficiency by coumarin derivatives 2) Hyproprotrombinemia secondary to antibiotics, salicylic acid preparations, etc 3. Hyproprotrombinemia secondary to vitamin K synthesis or limitation of absorption	10, 25, 50, 100 Amp
Heparin Sodium Injection 5000IU/mL Jeil	**Active ingredient :** Heparin Sodium 5000IU/1mL **Pharmaceutical excipient :** Sodium chloride, Water For Injection, Benzyl alcohol, Sodium hydroxide	1. Prevention of thrombosis 2. Prevention and treatment of postoperative thrombosis and pulmonary embolism 3. Prevention and treatment of embolistic atrial fibrillation 4. Diagnosis and treatment of acute and chronic coagulation disorder 5. Preventing blood clotting during blood vessel and heart surgery 6. Prevention of cerebral thrombosis caused by cerebral thrombosis 7. Others 1) Blood transfusion, extracorporeal circulation, preventing blood clotting during dialysis or in the laboratory 2) Coronary artery obstruction (with acute myocardial infarction) 3) Peripheral vascular embolism	5mL × Packing unit (Vial)
Tanadin Inj.	**Active ingredient :** Ginkgo Biloba Leaf Dried Extract 3.5mg/1mL **Pharmaceutical excipient :** Ethanol, D-Sorbitol, Sodium hydroxide, Water For Injection	1. Cerebral fluid circulation disorders and cerebral malnutrition (cerebrovascular failure), brain dysfunction with the following symptoms: Dizziness, tinnitus, headache, vision impairment, memory loss, anxiety, depression, endogenous hearing loss, vascular and metabolic neck symptoms 2. Peripheral arterial circulation disorders such as arteriosclerotic vascular disease, diabetic vascular damage in gangrenous condition, PAOD-(peripheral artery obstruction disease or intermittent claudication) obstructive endangiitis, Raynod's disease and other hormonal and neurovascular disorders, vascular disorders, and nutritional disorders due to vasculism	5mL × 10Amp
Thioctan Injection (Thioctic Acid Tromethamine)	**Active ingredient :** Thioctic Acid Tromethamine 39.7mg/1mL **Pharmaceutical excipient :** Water For Injection, Tromethamine	Alleviation of multiple diabetic neuropathy	8mL × 10Amp 12mL × 10Amp

Product	Materials	Indication	Package
Perochin Injection (Perphenazine Hydrochloride)	**Active ingredient :** Perphenazine Hydrochloride 3mg/1mL **Pharmaceutical excipient :** Benzyl alcohol, Sodium chloride, Glacial Acetic Acid, Water For Injection, Sodium bisulfite, Sodium Acetate Hydrate	Schizophrenia, vomiting before and after surgery, dizziness caused by Meniere's syndrome, tinnitus	1mL × 10, 20, 50, 100Amp
Promine Injection (Protamine Sulfate)	**Active ingredient :** Protamine Sulfate 10mg/1mL **Pharmaceutical excipient :** Sulfuric acid, Water For Injection, Sodium chloride	1. Neutralization upon heparin overdose 2. Neutralization of heparin action after extracorporeal circulation of blood, such as hemodialysis, artificial cardiac lung, and selective cerebral perfusion cooling	5mL × Packing unit (Vial)
Funacon Inj.3mg 2 Ml	**Active ingredient :** Piprinhydrinate 1.5mg/1mL **Pharmaceutical excipient :** Benzyl alcohol, Water For Injection	Pruritic dermatologic diseases (evacuation, dermatitis, skin irritation, pediatric stroke, weak infection, addictive erythema), hives, allergic rhinitis, sneezing, runny nose, and coughing due to the sniffles	2mL × 5, 10, 50, 100Amp
Hyalase Injection (Hyaluronidase)	**Active ingredient :** Hyaluronidase 1500IU/1 Vial **Pharmaceutical excipient :** Sodium hydroxide	1. Increased penetration during subcutaneous injection, muscle injection, local anesthetics, and subcutaneous injection 2. Promoting reabsorption of excess body fluids and blood in tissues	1Vial × Packing unit

Product	Materials	Indication	Package
Multi BCDex Inj.	**(No.1 Ampoule)** **Active ingredient :** Thiamine Hydrochloride 50mg/1mL, Pyridoxine Hydrochloride 10mg/1mL, Riboflavin Sodium Phosphate 1mg/1mL **Pharmaceutical excipient :** Sodium hydroxide, Water For Injection, Disodium Edetate Hydrate **(No.2 Ampoule)** **Active ingredient :** Nicotinamide 32mg/1mL, Ascorbic Acid 100mg/1mL, Anhydrous Glucose 200mg/1mL **Pharmaceutical excipient :** Sodium hydroxide, Water For Injection	1. Rapid treatment of severe deficiencies and malabsorption of water-soluble vitamins B and C (especially alcoholism, acute infection, postoperative and schizophrenia) 2. Maintaining Vitamin B, C in Patients Under Chronic Intermittent Hemodialysis	5mL × Packing unit (Amp)